



*J.W. Goodfellow Forest Products Inc.  
Produits Forestiers Inc.*



**CONTACTS**

**Direct**

|  |                           |                     |
|--|---------------------------|---------------------|
| <a href="mailto:john@jwgoodfellow.com">john@jwgoodfellow.com</a>       | <i>JOHN GOODFELLOW</i>    | <b>450-429-8143</b> |
| <a href="mailto:bruce@jwgoodfellow.com">bruce@jwgoodfellow.com</a>     | <i>BRUCE GOODFELLOW</i>   | <b>514-347-6224</b> |
| <a href="mailto:robert@jwgoodfellow.com">robert@jwgoodfellow.com</a>   | <i>ROBERT GOODFELLOW</i>  | <b>514-953-0159</b> |
| <a href="mailto:andre@jwgoodfellow.com">andre@jwgoodfellow.com</a>     | <i>André Aucoin</i>       | <b>514-726-2478</b> |
| <a href="mailto:armand@jwgoodfellow.com">armand@jwgoodfellow.com</a>   | <i>Armand Cormier</i>     | <b>514-993-6736</b> |
| <a href="mailto:daniel@jwgoodfellow.com">daniel@jwgoodfellow.com</a>   | <i>Daniel Larose</i>      | <b>450-542-3669</b> |
| <a href="mailto:michael@jwgoodfellow.com">michael@jwgoodfellow.com</a> | <i>Michael Bernatchez</i> | <b>514-434-0159</b> |

Bois francs / Quality Hardwoods



AUGUST 2017 STOCK LISTINVENTAIRE du mois d' AOUT 2017**WHITE ASH / FRÊNE D' AMÉRIQUE**

|                                 |                      |              |
|---------------------------------|----------------------|--------------|
| 4/4 SEL/BTR SAP/BTR             | 9-14'                | 20,500       |
| 4/4 SELECT SAP/BTR              | Strips 9-12'         | 2,000        |
| 4/4 Prime UNS                   | 7-8'                 | 7,800        |
| 4/4 SEL/BTR UNS                 | 6' +                 | 13,000       |
| 4/4 SEL/BTR REGULAR             | 11-14'               | 7,500        |
| 4/4 Prime UNS                   | 4" 9-10'             | 1,100        |
| 4/4 1 COM UNS                   | 37M' 1c/BTR to Grade | 0            |
| 4/4 1 COM REGULAR               |                      | 0            |
| 4/4 2 COM UNS                   |                      | 3,300        |
| 5/4 SEL/BTR SAP STAIN           | S2S 1 3/16"          | 400          |
| 5/4 SEL/BTR UNS                 |                      | 2,200        |
| 5/4 SEL/BTR REGULAR             |                      | 1,400        |
| 5/4 SEL/BTR REG S2S 1 3/16"     |                      | 700          |
| 5/4 1 COM UNS                   |                      | 600          |
| 5/4 1 COM SAP/BTR               |                      | 700          |
| 6/4 PRIME UNS                   |                      | 19,000       |
| 8/4 PRIME UNS                   |                      | 9,500        |
| 8/4 1 COM UNS                   |                      | 900          |
| 8/4 2Com Regular                |                      | 300          |
| <b>8/4 SEL/BTR QUARTER SAWN</b> |                      | <b>3,900</b> |
| 10/4 1 COM REG                  |                      | 400          |

**ASPEN / TREMBLE**

|                 |       |        |
|-----------------|-------|--------|
| 4/4 SEL/BTR     | 7-12' | 14,000 |
| 4/4 SELECT      | 6     | 7300   |
| 4/4 1 COM       | 4-14' | 14,000 |
| 4/4 1 COM STAIN | 4-6'  | 2,500  |
| 4/4 2COM        |       | 900    |
| 4/4 2 COM/BTR   |       | 500    |

**BEECH / HÊTRE**

|                     |  |       |
|---------------------|--|-------|
| 4/4 SEL/BTR         |  | 9000  |
| 4/4 1 COM           |  | 7,500 |
| 4/4 1COM S2S 15/16" |  | 8,000 |
| 4/4 1COM STAIN      |  | 450   |
| 4/4 2 COM           |  | 1,500 |

**RED BIRCH / MERISIER ROUGE**

|                           |  |       |
|---------------------------|--|-------|
| 4/4 SEL/BTR               |  | 12000 |
| 4/4 # 1 COM               |  | 8800  |
| 4/4 1 COM/BTR             |  | 1,500 |
| 4/4 2 COM                 |  | 2,000 |
| 4/4 3B                    |  | 900   |
| 5/4 SEL/BTR               |  | 260   |
| 5/4 1 & 2c to be S2S @ 1" |  | 4000  |
| 6/4 SEL/BTR               |  | 150   |
| 6/4 1 COM                 |  | 1,600 |
| 8/4 SEL/BTR               |  | 0     |

**YELLOW BIRCH / MERISIER**

|                                  |                           |        |
|----------------------------------|---------------------------|--------|
| 4/4 SEL/BTR SAP/BTR              | <b>13-16'</b>             | 1500   |
| 4/4 SEL/BTR SAP/BTR              | <b>11-12'</b>             | 5000   |
| 4/4 SEL/BTR SAP/BTR              | 30,000' to grade          | 29,500 |
| 4/4 SEL/BTR SAP STAIN S2S 31/32" |                           | 3,000  |
| 4/4 SELECT SAP STAIN S2S 27/32"  |                           | 5,000  |
| 4/4 SEL/BTR SAP 9" + WIDER       |                           | 3,200  |
| 4/4 SEL/BTR REG 9" + WIDER       |                           | 8,500  |
| 4/4 SEL/BTR REG                  | <b>400' 15-16'</b>        | 8,000  |
| 4/4 1 COM SAP/BTR                | 60,000' to grade          | 42,000 |
| 4/4 Prime 4-5' White             | 3 1/2"- 4 1/2"            | 3,000  |
| 4/4 1 COM/BTR UNS                | <b>Rift &amp; Quarter</b> | 600    |
| 4/4 1 COM/BTR                    | <b>"CURLY"</b>            | 2,600  |
| 4/4 1 COM SAP STAIN 15/16"       |                           | 15,500 |
| 4/4 1 COM REGULAR                |                           | 12,500 |
| 4/4 2 COM SAP/BTR                |                           | 21,000 |
| 4/4 2 COM SAP Stain 15/16"       |                           | 3,000  |
| 4/4 2 COM REGULAR                |                           | 4,500  |
| 4/4 3COM UNS                     |                           | 2,200  |
| 5/4 SEL/BTR SAP/BTR              |                           | 41,000 |
| 5/4 SELECT SAP/BTR               | <b>6'</b>                 | 8,500  |
| 5/4 SELECT SAP/BTR 6' S2S        | 1 3/16"                   | 2,000  |
| 5/4 SEL/BTR SAP STAIN S2S        | 1 7/32"                   | 2,600  |
| 5/4 SEL/BTR REGULAR              |                           | 10,800 |
| 5/4 1COM SAP/BTR                 |                           | 24,000 |
| 5/4 1COM SAP/BTR                 | S2S 1 3/16"               | 500    |
| 5/4 1COM SAP/BTR                 | S2S 1 7/32"               | 1,000  |
| 5/4 1 COM SAP Stain              | S2S 1 7/32"               | 5,000  |
| 5/4 1COM REGULAR                 |                           | 7,000  |
| 5/4 1 COM                        | <b>"CURLY"</b>            | 1,500  |
| 5/4 2 COM SAP/BTR                |                           | 11000  |
| 5/4 2 COM REGULAR                |                           | 5000   |
| 6/4 SEL/BTR SAP/BTR              |                           | 10,300 |
| 6/4 SEL/BTR                      | <b>"CURLY"</b>            | 2,500  |
| 6/4 SEL/BTR SAP STAIN            | S2S 1 7/16"               | 1,600  |
| 6/4 SEL/BTR REGULAR              |                           | 1,300  |
| 6/4 1 COM SAP/BTR                | 11,500' to grade          | 1800   |
| 6/4 1 COM REGULAR                |                           | 1,100  |
| 6/4 1 COM                        | <b>"CURLY"</b>            | 500    |
| 6/4 2 COM SAP/BTR                |                           | 3,000  |
| 8/4 SEL/BTR SAP/BTR              |                           | 12,800 |
| 8/4 SEL/BTR SAP STAIN            | S2S 1 15/16"              | 1,800  |
| 8/4 SEL/BTR UNS                  |                           | 2,600  |
| 8/4 SEL/BTR REG                  | <b>6-8'</b>               | 2,100  |
| 8/4 SEL/BTR                      | <b>"CURLY"</b>            | 400    |
| 8/4 1 COM SAP/BTR                |                           | 1,800  |
| 8/4 1 COM UNSELECTED             |                           | 6,800  |
| 8/4 2 COM SAP/BTR                |                           | 900    |
| 8/4 3COM UNS                     |                           | 2800   |

**KILN STICK MANUFACTURER / MANUFACTURIER DE LATTES DE SÉCHAGE**  
**SEVERAL DIMENSIONS AVAILABLE / PLUSIEURS DIMENTIONS DISPONIBLES**



Kiln dried lumber inventory / Inventaire de bois sec

Visit us at: [www.jwgoodfellow.com](http://www.jwgoodfellow.com)



| <b><u>BASSWOOD / TILLEUL</u></b>          |        | <b><u>RED ELM / ORME ROUGE</u></b>                 |               |
|---|--------|--|---------------|
| 4/4 SEL/BTR                               | 21,000 | 4/4 SEL/BTR  | 600           |
| 4/4 1 COM                                 | 6,000  | 6/4 SEL/BTR  | 1,100         |
| 4/4 2 COM                                 | 16,500 | 8/4 SEL/BTR  | 700           |
| 5/4 SEL/BTR                               | 15,000 | <b><u>GREY ELM / ORME GRIS</u></b>                 |               |
| 5/4 1 COM                                 | 4,000  | 4/4 SEL/BTR  | 0             |
| 5/4 2A Com                                | 14,000 | 4/4 1-2 COM  | 150           |
| 6/4 SEL/BTR STAIN                         | 500    | <b><u>HICKORY / CARYER</u></b>                     |               |
| 6/4 SELECT                                | 1,500  | 4/4 SEL/BTR  | 500           |
| 6/4 1 COM                                 | 100    | 4/4 2ac/btr  | 500           |
| 7/4 2c/Better                             | 200    | <b><u>BIRDS EYE MAPLE / ÉRABLE PIQUÉ</u></b>       |               |
| 8/4 SEL/BTR                               | 6,500  | 4/4 1 Com/BTR SAP/BTR                              | 500           |
| 8/4 SEL/BTR                               | 500    | 4/4 SEL/BTR UNS                                    | 4300          |
| 8/4 1c/BTR                                | 150    | 4/4 SEL/BTR REGULAR                                | 500           |
| 9/4 SEL/BTR                               | 1,100  | 4/4 1Com Sap/Btr                                   | 2,000         |
| 9/4 1 COM                                 | 400    | 4/4 2Com Sap/Btr                                   | 1,300         |
| 16/4 2c/btr                               | 1,000  | 4/4 1COM REGULAR                                   | 800           |
| <b><u>BUTTERNUT / NOYER CENDRÉ</u></b>    |        | 4/4 1com/Btr UNS                                   | 900           |
| 4/4 SEL/BTR                               | 11,500 | <b><u>QUARTER SAWN MAPLE / ÉRABLE QUARTIER</u></b> |               |
| 4/4 1 COM                                 | 7,500  | 4/4 SEL 1-2 white 6-7'                             | 1,400         |
| 4/4 2 COM                                 | 3,000  | 4/4 SEL UNS 6-7'                                   | 550           |
| 4/4 WORMY Butternut / Trous de vers       | 1200   | 5/4 SEL/BTR 1-2 W                                  | 300           |
| 8/4 WORMY Butternut / Trous de vers       | 0      | 6/4 SEL/BTR 1-2 W                                  | 150           |
| 5/4 SEL/BTR                               | 0      | <b><u>HARD MAPLE / ÉRABLE À SUCRE</u></b>          |               |
| 5/4 1 COM                                 | 0      | 4/4 SEL/BTR 1-2W                                   | 5300          |
| 5/4 2c/btr                                | 280    | 4/4 SEL/BTR 1-2W                                   | 63,000        |
| 6/4 SEL/BTR                               | 0      | 4/4 SEL/BTR  | SAP 1 FACE    |
| 8/4 SEL/BTR                               | 6700   | 4/4 SELECT 1-2 W                                   | 7'            |
| 8/4 1COM                                  | 1200   | 4/4 SELECT 1-2 W                                   | 6'            |
| 8/4 2COM                                  | 450    | 4/4 SELECT 1-2W 3.5 - 4.5"                         | 8-12'         |
| <b><u>CHERRY / CERISIER AMÉRICAIN</u></b> |        | 4/4 SELECT 1-2W 3.5 - 4.5"                         | 6 -7'         |
| 4/4 SEL/BTR 90/70 RED                     | 11-16' | 4/4 SELECT 1-2W 4 - 4.5"                           | 6-10'         |
| 4/4 SEL/BTR UNS                           | 1200   | 4/4 SELECT 1-2W 4.5 - 5"                           | 7-10'         |
| 4/4 SEL/BTR SAPY                          | 100    | 4/4 SEL/BTR SAP/BTR STAIN                          | S2S 15/16"    |
| 4/4 1 COM 90/70 RED                       | 4000   | 4/4 SELECT SAP/BTR STAIN                           | S2S 7/8"      |
| 4/4 1 COM UNS                             | 4500   | 4/4 SEL/BTR REGULAR                                | 16M' to grade |
| 4/4 1 COM UNS S2S 7/8"                    | 600    | 4/4 1 COM  | # 1 White     |
| 4/4 1 COM Sap Stain S2S 7/8"              | 1000   | 4/4 1 COM 1-2White                                 | 0             |
| 4/4 2 COM 90/70 RED                       | 6500   | 4/4 1 COM 1-2White                                 | S2S 7/8"      |
| 4/4 2 COM UNS                             | 500    | 4/4 1 COM SAP 1 FACE                               | 0             |
| 4/4 2 COM UNS S2S 7/8"                    | 2500   | 4/4 1 COM SAP STAIN                                | 15/16"        |
| 4/4 2c /Better                            | 1500   | 4/4 1 COM SAP STAIN                                | 7/8"          |
| 5/4 SEL/BTR 90/70 RED                     | 1,800  | 4/4 1 COM REGULAR                                  | 3,500         |
| 6/4 SEL/BTR 90/70 RED                     | 550    | 4/4 1 COM REGULAR                                  | 7/8"          |
| 8/4 SEL/BTR 90/70 RED                     | 3,000  | 4/4 2 COM  | # 1 White     |
| 8/4 2 COM UNS                             | 600    | 4/4 2 COM 1-2WHITE                                 | 2,500         |
|   |        | 4/4 2 COM SAP Stain                                | S2S 15/16"    |
|   |        | 4/4 2 COM REGULAR                                  | S2S 15/16"    |
|   |        | 4/4 3c UNS   | 6,000         |

**LIVE EDGED SLABS AVAILABLE / PLOTS DISPONIBLES**



Kiln dried lumber inventory / Inventaire de bois sec

Visit us at: [www.jwgoodfellow.com](http://www.jwgoodfellow.com)

**MORE HARD MAPLE / ÉRABLE À SUCRE**

|                             |             |        |
|-----------------------------|-------------|--------|
| 5/4 SEL/BTR SAP/Better      | 9-10'       | 10,000 |
| 5/4 SELECT 1-2 White        | 7'          | 11,000 |
| 5/4 SELECT 1-2 White        | 6'          | 1,300  |
| 5/4 SEL/BTR SAP 1 face      |             | 500    |
| 5/4 SEL/BTR SAP Stain       | S2S 1 7/32" | 1,500  |
| 5/4 SEL/BTR SAP Stain       | S2S 1 3/16" | 700    |
| 5/4 SEL/BTR REGULAR         |             | 11,000 |
| 5/4 1 COM 1-2 white         |             | 10,600 |
| 5/4 1COM Sap Stain          |             | 2,200  |
| 5/4 1 COM Regular           |             | 900    |
| 5/4 2 COM 1-2 white         |             | 600    |
| 5/4 2 COM SAP Stain 1 7/32" |             | 800    |
|                             |             |        |
| 6/4 SEL/BTR 1-2W            | 13-16'      | 900    |
| 6/4 SEL/BTR 1-2W            |             | 12,500 |
| 6/4 SELECT                  | 6-7'        | 4,000  |
| 6/4 1 COM 1-2 White         |             | 1,800  |
| 6/4 1 COM SAP/BTR           | 13-16'      | 750    |
| 6/4 2 COM 1-2 White         |             | 150    |
|                             |             |        |
| 8/4 SEL/BTR 1-2 White       |             | 15,500 |
| 8/4 SEL/BTR SAP 1 FACE      |             | 400    |
| 8/4 1 COM SAP/BTR           |             | 3,800  |
|                             |             |        |
| 10/4 SEL/BTR SAP 1 FACE     |             | 250    |
| 12/4 SEL/BTR SAP 1 FACE     |             | 400    |
| 12/4 1 COM UNSELECTED       |             | 350    |

**SOFT MAPLE / PLAINE**

|                        |      |       |
|------------------------|------|-------|
| 4/4 SEL/BTR SAP/BTR    | 6-7' | 4,600 |
| 4/4 SEL/BTR UNSELECTED |      | 6,000 |
| 4/4 SEL/BTR REGULAR    |      | 3,700 |
| 4/4 1COM SAP/BTR       |      | 7,000 |
| 4/4 1COM REGULAR       |      | 800   |
| 4/4 1 COM <b>CURLY</b> |      | 1,700 |
| 4/4 2 COM SAP/Btr      |      | 1,300 |
| 4/4 2 COM UNS / REG    |      | 1,600 |
|                        |      |       |
| 5/4 SEL/BTR SAP/BTR    |      | 0     |
| 5/4 1 COM SAP/BTR      |      | 600   |
| 6/4 SEL/BTR UNS        |      | 0     |
|                        |      |       |
| 8/4 1Com Sap stain     |      | 200   |
|                        |      |       |
| 10/4 SEL/BTR SAP/BTR   |      | 100   |
|                        |      |       |
| 12/4 SEL/BTR UNS       |      | 0     |
| 12/4 1 COM             |      | 550   |
| 12/4 2 COM             |      | 500   |

**RED OAK Northern / CHÊNE ROUGE**

|                        |                  |        |
|------------------------|------------------|--------|
| 4/4 SEL/BTR            | 15-16'           | 1,300  |
| 4/4 SEL/BTR            | 7-12'            | 22,000 |
| 4/4 SEL/BTR            | 9 1/2" +         | 800    |
| 4/4 Select             | 3 1/2 - 4"       | 200    |
| 4/4 Select             | 6' 4 1/2-5 1/2"  | 1,000  |
| 4/4 SEL/BTR            | 5 3/4" - 6"      | 800    |
| 4/4 SEL/BTR Mineral ST | S2S 7/8"         | 900    |
| 4/4 SEL/BTR Mineral    |                  | 1,800  |
| 4/4 1 COM UNS          | 2000' S2S 15/16" | 12,000 |
| 4/4 2 COM UNS          | 2600' S2S 7/8"   | 1,500  |
| 5/4 SEL/BTR            | 7'+              | 41,000 |
| 5/4 SELECT             | 6'               | 4,500  |
| 5/4 1COM S2S           | 1 3/16"          | 4,800  |
| 5/4 1COM S2S           | 1 7/32"          | 200    |
| 5/4 2 COM              |                  | 5,000  |
| 6/4 SEL/BTR            |                  | 1,300  |
| 8/4 SEL/BTR            | 8-9'             | 850    |

**WHITE OAK / CHÊNE BLANC**

|                                       |  |       |
|---------------------------------------|--|-------|
| 4/4 SEL/BTR                           |  | 5600  |
| 4/4 2 COM                             |  | 1,000 |
| 4/4 SEL/BTR <b>Quarter &amp; RIFT</b> |  | 2,600 |
| 5/4 SEL/BTR UNS                       |  | 2,000 |
| 5/4 SEL/BTR <b>Quarter &amp; RIFT</b> |  | 1,300 |
| 6/4 SEL/BTR UNS                       |  | 3,000 |
| 6/4 SEL/BTR <b>RIFT</b>               |  | 3,000 |
| 8/4 SEL/BTR UNS                       |  | 3300  |
| 8/4 SEL/BTR <b>Quarter &amp; RIFT</b> |  | 2500  |

**YELLOW POPLAR / PEUPLIER AMÉRICAIN**

|              |        |        |
|--------------|--------|--------|
| 4/4 SEL/BTR  | 9-14'  | 9500   |
| 4/4 1C/BTR   | 15-16' | 500    |
| 4/4 1 COM    |        | 350    |
| 5/4 SEL/BTR  | 11-16' | 4,800  |
| 6/4 SEL/BTR  | 11-16' | 7,800  |
| 8/4 SEL/BTR  | 9-16'  | 12,300 |
| 10/4 SEL/BTR | 11-12' | 1,300  |

**BLACK STEAMED WALNUT / NOYER NOIR**

|                            |                   |       |
|----------------------------|-------------------|-------|
| 4/4 SEL/BTR                |                   | 9,000 |
| 4/4 SEL/BTR RIFT & Quarter |                   | 8,500 |
| 4/4 SEL/BTR SAPY           | S2S 15/16"        | 3,200 |
| 4/4 1 COM                  |                   | 300   |
| 4/4 1 COM SAPY             | S2S 15/16" & 7/8" | 1,100 |
|                            |                   |       |
| 5/4 SEL/BTR                |                   | 4,000 |
|                            |                   |       |
| 6/4 SEL/BTR                |                   | 5,000 |
|                            |                   |       |
| 8/4 SEL/BTR                |                   | 7000  |
| 8/4 SEL/BTR RIFT & Quarter |                   | 2,000 |
| 10/4 SEL/BTR               |                   | 1300  |

**WE OFFER S2S TO YOUR DESIRED THICKNESS / NOUS POUVONS B2F À L'ÉPAISSEUR DÉSIRÉ**