



*J.W. Goodfellow Forest Products Inc.  
Produits Forestiers Inc.*

**MONTHLY SPECIALS**

<b>CURLY YELLOW BIRCH</b>	<b>Quantity</b>	<b>US NET</b>
4/4" 1 Com/BTR	3500	\$ 1595/M'
5/4" 1 COM/BTR	1200	\$ 1675/M'
6/4" 1 Com/Better	3200	\$ 2050/M'
8/4" Sel/Better	600	\$ 2250/M'
<b>American BEECH</b>		
4/4" 1 COM S2S 15/16	8000	\$ 800/M'
<b>CURLY SOFT MAPLE</b>		
4/4" 1 Common	1700	\$ 1500/M'



**CONTACTS**

**Direct**

[john@jwgoodfellow.com](mailto:john@jwgoodfellow.com)

*JOHN GOODFELLOW*

**450-429-8143**

[bruce@jwgoodfellow.com](mailto:bruce@jwgoodfellow.com)

*BRUCE GOODFELLOW*

**514-347-6224**

[robert@jwgoodfellow.com](mailto:robert@jwgoodfellow.com)

*ROBERT GOODFELLOW*

**514-953-0159**

[andre@jwgoodfellow.com](mailto:andre@jwgoodfellow.com)

*André Aucoin*

**514-726-2478**

[armand@jwgoodfellow.com](mailto:armand@jwgoodfellow.com)

*Armand Cormier*

**514-993-6736**

[daniel@jwgoodfellow.com](mailto:daniel@jwgoodfellow.com)

*Daniel Larose*

**450-542-3669**

[michael@jwgoodfellow.com](mailto:michael@jwgoodfellow.com)

*Michael Bernatchez*

**514-434-0159**

Bois francs / Quality Hardwoods



**JUNE 2017 STOCK LIST****INVENTAIRE de JUIN 2017**

<b>CHERRY / CERISIER AMÉRICAIN</b>		<b>HARD MAPLE / ÉRABLE À SUCRE</b>		
4/4 SEL/BTR 90/70 RED	3600' 13-16'	9,500	4/4 SEL/BTR 1-2W 13-16'	6000
4/4 SEL/BTR UNS		1200	4/4 SEL/BTR 1-2W 8' + 10M' to Grade	34,000
4/4 SEL/BTR SAPY		100	4/4 SEL/BTR SAP 1 FACE	1500
4/4 1 COM 90/70 RED		6400	4/4 SELECT 1-2 W 7'	14,000
4/4 1 COM UNS			4/4 SELECT 1-2 W 6'	3000
4/4 1 COM UNS S2S 7/8"			4/4 SELECT 1-2W 3.5 - 4.5" 8-12'	4,000
4/4 1 COM Sap Stain S2S 7/8"		1000	4/4 SELECT 1-2W 3.5 - 4.5" 6 -7'	7,500
4/4 2 COM 90/70 RED		7700	4/4 SELECT 1-2W 4 - 4.5" 6-10'	2,000
4/4 2 COM UNS		500	4/4 SELECT 1-2W 4.5 - 5" 7'	400
4/4 2 COM UNS S2S 7/8"		2500	4/4 SEL/BTR SAP/BTR STAIN S2S 15/16"	1,300
4/4 2c /Better		1500	4/4 SELECT SAP/BTR STAIN S2S 7/8"	6,500
5/4 SEL/BTR 90/70 RED		1,800	4/4 SEL/BTR REGULAR 16M' to KD	0
6/4 SEL/BTR 90/70 RED		650	4/4 1 COM # 1 White	5,000
8/4 SEL/BTR 90/70 RED		3,400	4/4 1 COM 1-2White 18000 to Grade	3,000
8/4 2 COM UNS		600	4/4 1 COM 1-2White S2S 7/8"	1,000
<b>RED OAK Northern / CHÊNE ROUGE</b>			4/4 1 COM SAP 1 FACE	1,100
4/4 SEL/BTR 15-16'		1,500	4/4 1 COM SAP ST 15/16"	700
4/4 SEL/BTR 7-12'		32,000	4/4 1 COM REGULAR 38M' to KD	900
4/4 SEL/BTR 9 1/2" +		1,600	4/4 2 COM # 1 White	2,500
4/4 Select 3 1/2 - 4"		800	4/4 2 COM 1-2WHITE 17M' to KD	1,500
4/4 Select 4 1/2-5 1/2"		1,400	4/4 2 COM SAP Stain S2S 15/16"	1,100
4/4 SEL/BTR 5 3/4" - 6"		800	4/4 2 COM REGULAR	3,500
4/4 SEL/BTR Mineral ST 1500 7/8"		1,800	4/4 3c UNS S2S 15/16"	7,500
4/4 1 COM UNS 4M' S2S 15/16" - 7/8"		14,000	5/4 SEL/BTR SAP/Better 8-12'	9,800
4/4 2COM 7M' 3ac/btr to KD		1,500	5/4 SELECT 1-2 White 7'	12,000
4/4 2COM S2S 7/8"		2600	5/4 SELECT 1-2 White 6'	600
5/4 SEL/BTR 7'+		46,000	5/4 SEL/BTR SAP 1 face	500
5/4 SELECT 6'		4,500	5/4 SEL/BTR SAP Stain S2S 1 7/32"	2,700
5/4 1 COM UNS 9M' 6-8' to KD		1,500	5/4 SEL/BTR SAP Stain S2S 1 3/16"	700
5/4 1COM S2S 1 3/16"		4,800	5/4 SEL/BTR REGULAR	9500
5/4 1COM S2S 1 7/32"		200	5/4 1 COM 1-2 white	0
5/4 2 COM		5,500	5/4 1COM Sap Stain S2S 1 7/32"	1,700
6/4 SEL/BTR		1,300	5/4 1 COM Regular	600
6/4 SEL Stain S2S 1 7/16"		260	5/4 2 COM 1-2 white	500
8/4 SEL/BTR		3,000	5/4 2 COM SAP Stain 1 7/32"	800
<b>WHITE OAK / CHÊNE BLANC</b>			6/4 SEL/BTR 1-2W 13-16'	900
4/4 SEL/BTR		2800	6/4 SEL/BTR 1-2W	17,000
4/4 1 COM		0	6/4 1COM 1-2 White	1,500
4/4 2 COM		1,000	6/4 1COM SAP/BTR 13-16'	750
4/4 SEL/BTR Quarter & RIFT		4,500	6/4 2COM 1-2 White	150
5/4 SEL/BTR UNS		1,600	8/4 SEL/BTR 1-2W 17M' in Kiln	7,500
5/4 SEL/BTR Quarter & RIFT		1,800	8/4 SELBTR SAP 1 FACE	400
6/4 SEL/BTR UNS		1,100	8/4 1 COM SAP/BTR	3,800
6/4 SEL/BTR RIFT		3,900	10/4 SEL/BTR SAP	250
8/4 SEL/BTR UNS		2200	12/4 SEL/BTR SAP	800
8/4 SEL/BTR Quarter & RIFT		4200	12/4 1 COM UNSELECTED	700

**KILN STICK MANUFACTURER / MANUFACTURIER DE LATTES DE SÉCHAGE**  
**SEVERAL DIMENSIONS AVAILABLE / PLUSIEURS DIMENTIONS DISPONIBLES**



## Kiln dried lumber inventory / Inventaire de bois sec

Visit us at: [www.jwgoodfellow.com](http://www.jwgoodfellow.com)



### BIRDS EYE MAPLE / ÉRABLE PIQUÉ

4/4 SEL/BTR SAP/BTR	120
4/4 SEL/BTR UNS	4000
4/4 SEL/BTR REGULAR	500
4/4 1com Sap/Btr	2,500
4/4 2c Sap/Btr	1,300
4/4 1com/Btr UNS	1,000

### QUARTER SAWN MAPLE / ÉRABLE QUARTIER

4/4 SEL 4- 4 1/2" strips Quatered	750
4/4 SEL UNS 6-7'	550
6/4 SEL/BTR 1-2 W	150

### SOFT MAPLE / PLAINE

4/4 SEL/BTR SAP/BTR	9500 to KD	6,300
4/4 SEL/BTR UNSELECTED		6,000
4/4 SEL/BTR REGULAR		3,500
4/4 1COM SAP/BTR		6,500
4/4 1COM REGULAR		800
4/4 1 COM <b>CURLY</b>		1,700
4/4 2 COM SAP/Btr		1,300
4/4 2 COM UNS / REG		1,600

5/4 SEL/BTR SAP/BTR	0
5/4 1 COM SAP/BTR	900
6/4 SEL/BTR UNS	0

8/4 SEL/BTR UNS	0
-----------------	---

10/4 SEL/BTR SAP/BTR	100
12/4 SEL/BTR UNS	650
12/4 1 COM	550
12/4 2 COM	500

### WHITE ASH / FRÊNE D' AMÉRIQUE

4/4 SEL/BTR SAP/BTR	9-14'	19,000
4/4 SELECT SAP/BTR	Strips 9-12'	3,500
4/4 SEL/BTR UNS		28,000
4/4 SEL/BTR REGULAR	9-	17,000
4/4 SELECT UNS	4" ;	4,500
4/4 1 COM UNS	85M' 1C/btr to KD	0
4/4 1 COM REGULAR		0
4/4 2 COM UNS		0

5/4 SEL/BTR SAP STAIN	S2S 1 3/16"	250
5/4 SEL/BTR UNS		3,500
5/4 SEL/BTR REGULAR		1,400
5/4 SEL/BTR REG S2S 1 3/16"		1,200
5/4 1 COM UNS		1,300
5/4 1 COM SAP/BTR		700

6/4 PRIME UNS	19,000
6/4 1 COM UNS	0

8/4 PRIME UNS	15M' in Kiln	0
8/4 1 COM Sap/btr	1 M' in Kiln	0

### **8/4 SEL/BTR QUARTER SAWN**

	4,000
10/4 1 COM REG	400

### YELLOW BIRCH / MERISIER

4/4 SEL/BTR SAP/BTR	<b>13-16'</b>	1600
4/4 SEL/BTR SAP/BTR	<b>11-12'</b>	7000
4/4 SEL/BTR SAP/BTR 70M 1C/Btr to grade		27,000
4/4 SEL/BTR SAP STAIN	S2S 27/32"	5,000
4/4 SEL/BTR SAP 9" + WIDER		2,500
4/4 SEL/BTR REG 9" + WIDER		9,500
4/4 SEL/BTR REG	<b>500' 13-16'</b>	4,500
4/4 1 COM SAP/BTR	71M' to grade	25,000
4/4 Prime 4-5'	3 1/2"- 4 1/2"	3,000
4/4 1 COM/BTR UNS	<b>Rift &amp; Quarter</b>	800
4/4 1 COM/BTR	<b>"CURLY"</b>	2,600
4/4 1 COM SAP STAIN 15/16"		6,000
4/4 1 COM REGULAR		4,500
4/4 2 COM SAP/BTR		15,000
4/4 2 COM SAP Stain 15/16"		3,000
4/4 2 COM REGULAR		4,500
4/4 3COM UNS		2,200

5/4 SEL/BTR SAP/BTR	7M' to grade	3,000
5/4 SELECT SAP/BTR	<b>6'</b>	6,000
5/4 SELECT SAP/BTR 6'	S2S 1 3/16"	2,000
5/4 SEL/BTR SAP STAIN	S2S 1 7/32"	2,600
5/4 SEL/BTR REGULAR		1,100
5/4 1COM SAP/BTR	8M' in Kiln	16,000
5/4 1COM SAP/BTR	S2S 1 3/16"	800
5/4 1COM SAP/BTR	S2S 1 7/32"	1,300
5/4 1 COM SAP Stain	S2S 1 7/32"	3,300
5/4 1COM REGULAR		8,000
5/4 1 COM	<b>"CURLY"</b>	1,500
5/4 2 COM SAP/BTR	6M' 2c Uns to grade	3800
5/4 2 COM REGULAR		2500

6/4 SEL/BTR SAP/BTR	12M' 1c/btr to KD	1,000
6/4 SEL/BTR	<b>"CURLY"</b>	2,500
6/4 SEL/BTR SAP STAIN	S2S 1 7/16"	2,500
6/4 SEL/BTR REGULAR		1,100
6/4 1 COM SAP/BTR		650
6/4 1 COM REGULAR		1,100
6/4 1 COM	<b>"CURLY"</b>	500
6/4 2 COM SAP/BTR		2,700

8/4 SEL/BTR SAP/BTR		15,000
8/4 SEL/BTR SAP STAIN	S2S 1 15/16"	1,800
8/4 SEL/BTR UNS		2,600
8/4 SEL/BTR REG	<b>6-8'</b>	2,800
8/4 SEL/BTR	<b>"CURLY"</b>	550
8/4 1 COM SAP/BTR		1,800
8/4 1 COM UNSELECTED		6,800
8/4 2 COM SAP/BTR		1200
8/4 3COM UNS		2800

### WHITE PAPER BIRCH / BOULEAU BLANC

4/4 SEL/BTR SAP STAIN S2S		950
4/4 SEL/BTR REGULAR		80
4/4 1 COM REGULAR		800
4/4 2 COM SAP/BTR		300
5/4 SEL/BTR Flecky	11-12'	150

**LIVE EDGED SLABS AVAILABLE / PLOTS DISPONIBLES**



Kiln dried lumber inventory / Inventaire de bois sec

Visit us at: [www.jwgoodfellow.com](http://www.jwgoodfellow.com)

**RED BIRCH / MERISIER ROUGE**

4/4 SEL/BTR	6000
4/4 # 1 COM	16000
4/4 1 COM/BTR	1,500
4/4 2 COM 2c/btr UNS 27M' to grade	2,000
4/4 3B	900

5/4 SEL/BTR	
5/4 1 COM	
6/4 SEL/BTR	150
6/4 1 COM	1,600

8/4 SEL/BTR	400
-------------	-----

**BEECH / HÊTRE**

4/4 SEL/BTR	9000
4/4 1 COM	7,500
4/4 1COM S2S 15/16"	8,000
4/4 1COM STAIN	450
4/4 2 COM	1,500

**HICKORY / CARYER**

4/4 SEL/BTR	600
4/4 3ac/btr to Grade	1000

**BLACK WALNUT / NOYER NOIR**

4/4 SEL/BTR UNS	11,500
4/4 SEL/BTR RIFT & Q/R	5,500
4/4 SEL/BTR SAPY S2S 15/16"	3,000
4/4 1 COM UNS	300
4/4 1 COM SAPY S2S 15/16" & 7/8"	1,100
4/4 2COM UNS S2S 15/16"	400

5/4 SEL/BTR UNS	1,900
-----------------	-------

6/4 SEL/BTR UNS	3,000
-----------------	-------

8/4 SEL/BTR Rift & Quarter	2,000
8/4 SEL/BTR UNS	7,500

10/4 SEL/BTR	1300
--------------	------

**BUTTERNUT / NOYER CENDRÉ**

4/4 SEL/BTR	10,700
4/4 1 COM	6,300
4/4 2 COM	2,000

4/4 WORMY Butternut / Trous de vers	1200
-------------------------------------	------

8/4 WORMY Butternut / Trous de vers	200
-------------------------------------	-----

5/4 SEL/BTR	0
-------------	---

5/4 1 COM	0
-----------	---

5/4 2c/btr	280
------------	-----

6/4 SEL/BTR	60
-------------	----

8/4 SEL/BTR 2c/Btr 2500' in Kiln	6000
----------------------------------	------

8/4 1COM	700
----------	-----

8/4 2COM	350
----------	-----

**RED ELM / ORME ROUGE**

4/4 SEL/BTR	500
-------------	-----

6/4 SEL/BTR	1,000
-------------	-------

8/4 SEL/BTR	700
-------------	-----

**GREY ELM / ORME GRIS**

4/4 SEL/BTR	0
-------------	---

4/4 1-2 COM	150
-------------	-----

**YELLOW POPLAR / PEUPLIER AMÉRICAIN**

4/4 SEL/BTR 9-16	24,000
------------------	--------

4/4 1 COM	700
-----------	-----

5/4 SEL/BTR 9-12'	2,700
-------------------	-------

6/4 SEL/BTR 11-12'	2,000
--------------------	-------

8/4 SEL/BTR 9-16	10,000
------------------	--------

10/4 SEL/BTR 11-12	1,300
--------------------	-------

**ASPEN / TREMBLE**

4/4 SEL/BTR 6-12'	11,000
-------------------	--------

4/4 1 COM 4-14'	14,000
-----------------	--------

4/4 1 COM STAIN 4-6'	2,500
----------------------	-------

4/4 2COM	900
----------	-----

4/4 2 COM/BTR	500
---------------	-----

**BASSWOOD / TILLEUL**

4/4 SEL/BTR	21,000
-------------	--------

4/4 1 COM	6,000
-----------	-------

4/4 2 COM	3,000
-----------	-------

5/4 SEL/BTR	17,000
-------------	--------

5/4 1 COM	4,000
-----------	-------

5/4 2A Com	14,000
------------	--------

6/4 SEL/BTR STAIN 9-10'	500
-------------------------	-----

6/4 SELECT 6'	1,500
---------------	-------

6/4 1 COM	100
-----------	-----

7/4 2c/Better	200
---------------	-----

8/4 SEL/BTR	7,500
-------------	-------

8/4 SEL/BTR S2S 1 15/16"	500
--------------------------	-----

8/4 1c/BTR	150
------------	-----

9/4 SEL/BTR	5,000
-------------	-------

9/4 1 COM	400
-----------	-----

16/4 2c/btr	1,000
-------------	-------

**WE OFFER S2S TO YOUR DESIRED THICKNESS / NOUS POUVONS B2F À L'ÉPAISSEUR DÉSIRÉ**