



# J.W. Goodfellow Forest Products Inc.

**KILN STICK MANUFACTURER SINCE 1997**



**NORTH AMERICAN & CANADIAN HARDWOOD WHOLESALERS**

**ALSO EASTERN RED & WHITE PINE, WESTERN RED CEDAR  
DOUGLAS FIR, FINGERJOINT PINE  
TORRIFIED WOODS & EXOTIC WOODS**

[john@jwgoodfellow.com](mailto:john@jwgoodfellow.com)

*JOHN GOODFELLOW*

**450-429-8143**

[bruce@jwgoodfellow.com](mailto:bruce@jwgoodfellow.com)

*BRUCE GOODFELLOW*

**514-347-6224**

[robert@jwgoodfellow.com](mailto:robert@jwgoodfellow.com)

*ROBERT GOODFELLOW*

**514-953-0159**

[michael@jwgoodfellow.com](mailto:michael@jwgoodfellow.com)

*Michael Bernatchez*

**514-434-0159**

[armand@jwgoodfellow.com](mailto:armand@jwgoodfellow.com)

*Armand Cormier*

**514-993-6736**

[daniel@jwgoodfellow.com](mailto:daniel@jwgoodfellow.com)

*Daniel Larose*

**450-542-3669**

[andre@jwgoodfellow.com](mailto:andre@jwgoodfellow.com)

*André Aucoin*

**514-726-2478**

Bois francs / Quality Hardwoods



544, Barr Street, HEMMINGFORD, Québec, CANADA J0L 1H0

TÉL: 450 247-2775 . FAX: 450 247-2114 . [WWW.jwgoodfellow.com](http://WWW.jwgoodfellow.com)



## Kiln Dried Lumber Inventory / Inventaire de bois sec

544 Barr St. Hemmingford, QC. Canada. J0L 1H0

Tel 450-247-2775 / Fax 450-247-2114

### Mid OCTOBER 2017 STOCK LIST

#### INVENTAIRE du 1 ier 2017

<b>WHITE ASH / FRÊNE D' AMÉRIQUE</b>			<b>YELLOW BIRCH / MERISIER</b>		
4/4 SEL/BTR SAP/BTR	9-14'	26,000	4/4 SEL/BTR SAP/BTR	11-12'	3500
4/4 SELECT SAP/BTR	Strips 9-12'	2,800	4/4 SEL/BTR SAP/BTR	9-10'	400
4/4 Prime UNS	6-7-8'	12,000	4/4 SEL/BTR SAP/BTR	8'	11,000
4/4 SEL/BTR UNS	6' +	8,000	4/4 SEL/BTR SAP/BTR	6-7'	13,500
4/4 SEL/BTR REGULAR	11-14'	3,500	4/4 SELECT SAP STAIN S2S 31/32"		9,000
4/4 Prime UNS	4"	1,200	4/4 SELECT SAP STAIN S2S 15/16"		15,000
4/4 1 COM UNS	1c/btr in kilns 16000'	0	4/4 SEL/BTR SAP 9" + WIDER		0
4/4 1 COM REGULAR		0	4/4 SEL/BTR REG 9" + WIDER		8,000
4/4 2 COM UNS	2ac/btr 84000' in kilns	4,500	4/4 SEL/BTR REG		5,000
5/4 SEL/BTR SAP STAIN	S2S 1 3/16"	500	4/4 1 COM SAP/BTR		23,000
5/4 SEL/BTR UNS	28000' to KD	0	4/4 Prime 4-5' 1-2 White	3 1/2"- 4 1/2"	3,500
5/4 SEL/BTR REGULAR		0	4/4 1 COM/BTR UNS	Rift & Quarter	700
5/4 SEL/BTR REG S2S 1 3/16"		500	4/4 1 COM/BTR	"CURLY"	2,600
5/4 1 COM UNS		600	4/4 1 COM SAP STAIN 15/16"		26,000
5/4 1 COM SAP/BTR		700	4/4 1 COM REGULAR		15,000
6/4 PRIME UNS		14,000	4/4 1 COM/BTR REGULAR		2,000
8/4 PRIME UNS	21000' to KD	5,500	4/4 2 COM SAP/BTR		18,000
8/4 1 COM UNS	7500' to KD	900	4/4 2 COM SAP Stain 15/16"		3,000
8/4 2Com Regular		300	4/4 2 COM REGULAR		5,000
8/4 SEL/BTR QUARTER SAWN		3,900	4/4 2COM UNS		1,200
10/4 1 COM REG		400	5/4 SEL/BTR SAP/BTR		21,000
<b>ASPEN / TREMBLE</b>			5/4 SELECT SAP/BTR 6'		17,000
4/4 SEL/BTR	7-12'	9,000	5/4 SELECT SAP/BTR 6' S2S 1 3/16"		2,000
4/4 SELECT	6	7,300	5/4 SEL/BTR SAP STAIN S2S 1 7/32"		6,500
4/4 1 COM	4-14'	14,000	5/4 SEL/BTR REGULAR		12,000
4/4 1 COM STAIN	4-6'	2,500	5/4 1COM SAP/BTR		19,000
4/4 2COM		900	5/4 1COM SAP/BTR S2S 1 3/16"		700
4/4 2 COM/BTR		500	5/4 1COM SAP/BTR S2S 1 7/32"		1,000
6/4 SEL/BTR		300	5/4 1 COM SAP Stain S2S 1 7/32"		6,000
<b>BEECH / HÊTRE</b>			5/4 1COM REGULAR		16,000
4/4 SEL/BTR		4000	5/4 1 COM	"CURLY"	1,000
4/4 1 COM		7,500	5/4 2 COM SAP/BTR		18,000
4/4 1COM S2S 15/16"		8,000	5/4 2 COM REGULAR		11,500
4/4 1COM STAIN		450	6/4 SEL/BTR SAP/BTR		5,000
4/4 2 COM		1,500	6/4 SEL/BTR	"CURLY"	2,500
<b>RED BIRCH / MERISIER ROUGE</b>			6/4 SEL/BTR SAP STAIN S2S 1 7/16"		1,100
4/4 SEL/BTR	6-12'	8000	6/4 SEL/BTR REGULAR		1,200
4/4 # 1 COM		12,000	6/4 1 COM SAP/BTR		1,400
4/4 1 COM/BTR		1,500	6/4 1 COM REGULAR		1,100
4/4 2 COM		15,000	6/4 1 COM	"CURLY"	500
4/4 3B		900	6/4 2 COM SAP/BTR		2,500
5/4 SEL/BTR		2,000	8/4 SEL/BTR SAP/BTR		6,800
5/4 1 COM		800	8/4 SEL/BTR SAP STAIN S2S 1 15/16"		1,100
5/4 1 & 2c to be S2S @ 1"		3,000	8/4 SEL/BTR UNS		2,800
6/4 SEL/BTR		150	8/4 SEL/BTR REG	6-8'	2,100
6/4 1 COM		1,600	8/4 SEL/BTR	"CURLY"	400
6/4 2 COM		200	8/4 1 COM SAP/BTR		1,200
			8/4 1 COM UNSELECTED		3,800
			8/4 2 COM SAP/BTR		900
			8/4 3COM UNS		2,800

**KILN STICK MANUFACTURER**



Kiln dried lumber inventory / Inventaire de bois sec

Visit us at: [www.jwgoodfellow.com](http://www.jwgoodfellow.com)



<b>BASSWOOD / TILLEUL</b>		<b>RED ELM / ORME ROUGE</b>	
4/4 SEL/BTR	21,000	4/4 SEL/BTR	600
4/4 1 COM	6,000		
4/4 2 COM	0	6/4 SEL/BTR	1,100
5/4 SEL/BTR	14,000	8/4 SEL/BTR	700
5/4 1 COM	4,000		
5/4 2A Com	14,000	<b>GREY ELM / ORME GRIS</b>	
6/4 SEL/BTR STAIN	500	4/4 SEL/BTR	0
6/4 SELECT	1,500	4/4 1-2 COM	150
6/4 1 COM	100		
7/4 2c/Better	200	<b>HICKORY / CARYER</b>	
8/4 SEL/BTR	4,000	4/4 SEL/BTR	200
8/4 SEL/BTR	500	4/4 2ac/btr	300
8/4 1c/BTR	150		
9/4 SEL/BTR	11,500	<b>BIRDS EYE MAPLE / ÉRABLE PLOUÉ</b>	
9/4 1 COM	400	4/4 1 Com/BTR	500
12/4 SEL/BTR	1500	4/4 SEL/BTR	3500
16/4 2c/btr	1,000	4/4 SEL/BTR	500
<b>BUTTERNUT / NOYER CENDRÉ</b>		4/4 1Com	600
4/4 SEL/BTR	600	4/4 2Com	1,300
4/4 1 COM	7,500	4/4 1COM	800
4/4 2 COM	3,000	4/4 1com/Btr	800
4/4 WORMY Butternut / Trous de vers	1200	<b>QUARTER SAWN MAPLE/ ÉRABLE QUARTIER</b>	
8/4 WORMY Butternut / Trous de vers	200	4/4 SELECT	1-2 white 6-7' 4-5"
5/4 SEL/BTR	0	4/4 SELECT	UNS 6-7'
5/4 1 COM	0	5/4 SEL/BTR	1-2 W
5/4 2c/btr	280	6/4 SEL/BTR	1-2 W
6/4 SEL/BTR	0	<b>HARD MAPLE / ÉRABLE À SUCRE</b>	
8/4 SEL/BTR	6500	4/4 SEL/BTR	1-2W 13-16'
8/4 1COM	1200	4/4 SEL/BTR	1-2W 11-12'
8/4 2COM	450	4/4 SEL/BTR	1-2W 9-10'
<b>CHERRY / CERISIER AMÉRICAIN</b>		4/4 SEL/BTR	1-2W 8'
4/4 SEL/BTR 90/70 RED	5,500	4/4 SELECT	1-2 W 7'
4/4 SEL/BTR UNS	1200	4/4 SELECT	1-2 W 6'
4/4 SEL/BTR SAPY	100	4/4 SEL/BTR	1-2 W 10" & Wider
4/4 1 COM 90/70 RED	9000	4/4 SELECT	1-2W 3.5 - 4.5" 8'
4/4 1 COM UNS	4500	4/4 SELECT	1-2W 3.5 - 4.5" 6-7'
4/4 1 COM UNS S2S 7/8"	600	4/4 SELECT	1-2W 4.5 - 5" 9-10'
4/4 1 COM Sap Stain S2S 7/8"	1000	4/4 SEL/BTR	SAP 1 FACE
4/4 2 COM 90/70 RED	1500	4/4 SEL/BTR	SAP/BTR STAIN S2S 15/16"
4/4 2 COM UNS	600	4/4 SELECT	SAP/BTR STAIN S2S 7/8"
4/4 2 COM UNS S2S 7/8"	2500	4/4 SEL/BTR	REGULAR
4/4 2c /Better	1500	4/4 1 COM	# 1 White
5/4 SEL/BTR 90/70 RED	1,800	4/4 1 COM	1-2White 24000' to grade
6/4 SEL/BTR 90/70 RED	300	4/4 1 COM	1-2White S2S 7/8"
8/4 SEL/BTR 90/70 RED	3,000	4/4 1 COM	1-2W LS S2S 15/16"
8/4 2 COM UNS	600	4/4 1 COM	SAP STAIN 4-6' 15/16"
		4/4 1 COM	SAP STAIN 7/8"
		4/4 1 COM	REGULAR
		4/4 1 COM	REGULAR 7/8"
		4/4 2 COM	# 1 white 15000' to grade
		4/4 2 COM	Sap/Btr 8000' to grade
		4/4 2 COM	SAP Stain S2S 15/16"
		4/4 2 COM	REGULAR S2S 15/16"
		4/4 3c	SAP & UNS
		4/4 LIVE EDGED	

**LIVE EDGED SLABS AVAILABLE**



Kiln dried lumber inventory / Inventaire de bois sec

Visit us at: [www.jwgoodfellow.com](http://www.jwgoodfellow.com)



<b>MORE HARD MAPLE / ÉRABLE À SUCRE</b>				<b>RED OAK (Northern) / CHÊNE ROUGE</b>			
5/4 SEL/BTR	SAP/Better	8-16'	14,000	4/4 SEL/BTR	<b>11-16'</b>		4,500
5/4 SELECT	1-2 White	7'	11,000	4/4 SEL/BTR	28000' in Kilns		7,000
5/4 SELECT	1-2 White	6'	1,500	4/4 Select		7'	1,400
5/4 SEL/BTR	SAP 1 face		0	4/4 SEL/BTR	9 1/2" +		300
5/4 SEL/BTR	SAP Stain S2S 1 7/32"		2,500	4/4 Select	3 1/2" - 4"		600
5/4 SEL/BTR	SAP Stain S2S 1 3/16"		700	4/4 Select	6' 4 1/2"-5 1/2"		1,000
5/4 SEL/BTR	REGULAR		9,500	4/4 SEL/BTR	5 3/4"- 6"		800
5/4 1 COM	1-2 white		12,000	4/4 SEL/BTR Mineral ST	S2S 7/8"		900
5/4 1COM	Sap Stain		1,500	4/4 SEL/BTR Mineral			1,800
5/4 1 COM	Regular		900	4/4 1 COM UNS	1000' S2S 15/16"		8,000
5/4 2 COM	1-2 white		600	4/4 2 COM UNS	2600' S2S 7/8"		1,500
5/4 2 COM	SAP Stain 1 7/32"		800	5/4 SEL/BTR	7'+		17,000
				5/4 SELECT	6'		2,000
6/4 SEL/BTR	1-2W	13-16'	0	5/4 1COM	S2S 1 3/16"		1,500
6/4 SEL/BTR	1-2W	8-12'	10,000	5/4 1COM	S2S 1 7/32"		500
6/4 SELECT	1-2W	6-7'	3,000	5/4 2 COM			2,000
6/4 SEL/BTR	1-2W	S2S 1 7/16"	800	6/4 SEL/BTR			1,300
6/4 SEL/BTR	SAP Stain S2S 1 3/8"		0	8/4 SEL/BTR			5,000
6/4 1 COM	1-2 White		1,500	<b>WHITE OAK / CHÊNE BLANC</b>			
6/4 1 COM	SAP/BTR	13-16'	750	4/4 SEL/BTR			10,000
6/4 2 COM	1-2 White		150	4/4 2 COM			1,000
				4/4 SEL/BTR	<b>Quarter &amp; RIFT</b>		8,000
8/4 SEL/BTR	1-2 White		11,000	5/4 SEL/BTR UNS			7,500
8/4 1 COM	SAP/BTR		2,000	5/4 SEL/BTR	<b>Quarter &amp; RIFT</b>		3,700
				6/4 SEL/BTR UNS			2,600
10/4 SEL/BTR	1-2 White		1200	6/4 SEL/BTR	<b>RIFT</b>		3,000
10/4 SEL/BTR	SAP 1 FACE		250	8/4 SEL/BTR UNS			2,500
12/4 SEL/BTR	SAP 1 FACE		400	8/4 SEL/BTR	<b>Quarter &amp; RIFT</b>		6,500
12/4 1 COM	UNSELECTED		700	<b>YELLOW POPLAR / PEUPLIER AMÉRICAIN</b>			
<b>SOFT MAPLE / PLAINE</b>				4/4 SEL/BTR	9-12'		11,500
4/4 SEL/BTR	SAP/BTR	8-12'	6,000	4/4 SEL/BTR	13-16'		4,500
4/4 SEL/BTR	UNSELECTED		4,000	4/4 SEL/BTR	7-8'		900
4/4 SEL/BTR	REGULAR		4,500	5/4 SEL/BTR	11-12'		4,000
4/4 1COM	SAP/BTR		8,000	5/4 SEL/BTR	15-16'		2,000
4/4 1COM	REGULAR		950	6/4 SEL/BTR	11-16'		7,000
4/4 1 COM	<b>CURLY</b>		1,200	8/4 SEL/BTR	9-16'		9,000
4/4 2 COM	SAP/Btr		1,500	10/4 SEL/BTR	11-12'		1,300
4/4 2 COM	UNS / REG		1,600	<b>BLACK STEAMED WALNUT / NOYER NOIR</b>			
				4/4 SEL/BTR			10,500
5/4 SEL/BTR	SAP/BTR		300	4/4 SEL/BTR RIFT & Quarter			7,000
5/4 1 COM	SAP/BTR		500	4/4 SEL/BTR SAPY S2S 15/16"			4,500
6/4 SEL/BTR	UNS		0	4/4 1 COM			800
8/4 SEL/BTR	UNS		1,300	4/4 1 COM SAPY S2S 15/16" & 7/8"			1,100
8/4 SEL/BTR	REGULAR		1,200	4/4 2COM UNS			400
8/4 1Com	Sap stain		200	5/4 SEL/BTR			4,000
				6/4 SEL/BTR			3,500
10/4 SEL/BTR	SAP/BTR		100	8/4 SEL/BTR			4,500
12/4 SEL/BTR	UNS		0	8/4 SEL/BTR	<b>Quarter &amp; RIFT</b>		1,700
12/4 1 COM	UNS		550	10/4 SEL/BTR			1,300
12/4 2 COM	UNS		500				

**WE OFFER TO SURFACE TWO SIDES AT YOUR DESIRED THICKNESS**



*THE TEAM WE COUNT ON*



Vertical line on the left side of the page.